

---

**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	(klaklak)2 peptide, Cat.# 318902 (TFA removed)
<b>Lot No.</b>	MTFA30438-0901
<b>Sequence</b>	klaklakklaklak (Acetate Salt)
<b>Dissolution condition</b>	100%H <sub>2</sub> O
<b>Length</b>	14AA
<b>Modification</b>	all D-AA acetate salt
<b>Molecular Weight (MW)</b>	1523.97
<b>Storage</b>	-20°C

---

<b>Test Items</b>	<b>Specifications</b>	<b>Results</b>
<b>MW by MS</b>	1523.85	Conforms
<b>Purity by HPLC</b>	>95%	99.795%
<b>Peptide Content</b>	N/A	N/A
<b>Moisture content</b>	N/A	N/A
<b>Acetic acid content</b>	N/A	N/A
<b>Appearance</b>	White to off-white lyophilized powder	Conforms
<b>Quantity</b>	40mg	5.0mg*8

---

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Sep/09/2023




### Sample Information

Order ID :MTFA30438  
 Name :(klaklak)2 peptide  
 Sequence :klaklakklaklak (Acetate Salt)  
 Lot. No :MTFA30438-0901  
 Pump A :0.1%Trifluoroacetic in 100% water  
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile  
 Total Flow :1ml/min  
 Wavelength :214nm  
 Analytical column type :Shim-pack GIST C18(4.6\*250mm\*5um)  
 Dissolution method :100%H2O  
 Inj. Volume : 30ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	15
30.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	15
50.00	Controller	Stop	

### Chromatogram




### Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	14.560	11216	935	0.111
2	14.858	10060727	1104128	99.795
3	15.163	3718	578	0.037
4	15.677	1767	279	0.018
5	20.615	3929	300	0.039
Total		10081357	1106221	100.000

## MS Spectrum



## Sample Information

Dissolution method	:15% ACN+85% H <sub>2</sub> O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2023/09/06 15:36:22	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H <sub>2</sub> O/50% MEOH

Order ID	:MTFA30438
Name	:(klaklak) <sub>2</sub> peptide
Sequence	:klaklaklaklak (Acetate salt )
Lot.No	:MTFA30438-0901
Theoretical	:1523.97
Observed	:1523.85