


**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	APGWamide, Cat.#: 303954 (TFA removed)
<b>Lot No.</b>	MTFA31667-0802
<b>Sequence</b>	APGW-NH2 (Acetate Salt)
<b>Dissolution condition</b>	100%H2O
<b>Length</b>	4AA
<b>Modification</b>	acetate salt
<b>Molecular Weight (MW)</b>	428.48
<b>Storage</b>	-20°C

<b>Test Items</b>	<b>Specifications</b>	<b>Results</b>
<b>MW by MS Purity</b>	428.25	Conforms
<b>by HPLC Peptide</b>	>95%	98.998%
<b>content Moisture</b>	N/A	N/A
<b>content Acetic acid</b>	N/A	N/A
<b>content</b>	N/A	N/A
<b>Appearance</b>	White to off-white lyophilized powder	Conforms
<b>Quantity</b>	500mg	5.0mg*100

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Dec/02/2024




### Sample Information

Order ID :MTFA31667  
 Name :APGWamide  
 Sequence :APGW-NH2 (Acetate Salt)  
 Lot. No :MTFA31667-0802  
 Pump A :0.1%Trifluoroacetic in 100% water  
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile  
 Total Flow :1ml/min  
 Wavelength :214nm  
 Analytical column type :Kromasil 100-5-C18 (4.6\*250mm\*5 µm)  
 Dissolution method :100%H2O  
 Inj. Volume : 5ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	15
30.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	15
50.00	Controller	Stop	


### Chromatogram



### Peak Table

Detector A 214nm				
Peak#	Ret. Time	Area	Height	Area%
1	7.254	121455	17795	0.252
2	8.736	103108	12257	0.214
3	8.985	47756447	2368609	98.998
4	9.713	258597	20306	0.536
Total		48239608	2418967	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H <sub>2</sub> O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/08/12 11:25:02	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H <sub>2</sub> O/50% MEOH

Order ID	:MTFA31667
Name	:APGWamide
Sequence	:APGW-NH <sub>2</sub> (Acetate Salt)
Lot.No	:MTFA31667-0802
Theoretical	:428.48
Observed	:428.25