

CERTIFICATE OF ANALYSIS

Product Name	Antioxidant pep A, Cat.#: 301925 (TFA removed)
Lot No.	MTFA32860-01-250526
Sequence	PHCKRM (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	AA
Modification	acetate salt
Molecular Weight (MW)	770.97
Storage	-20°C

Test Items	Specifications	Results
MW by MS	770.90	Conforms
Purity by HPLC	>95%	96.503%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20 mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Jun/09/2025


Quality Assurance Department



Sample Information

Order ID	:MTFA32860-01		
Name	:Antioxidant pep A		
Sequence	:PHCKRM (Acetate Salt)		
Lot. No	:MTFA32860-01-250526		
Pump A	:0.1%Trifluoroacetic in 100% water		
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile		
Total Flow	:1ml/min		
Wavelength	:214nm		
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 µm)		
Dissolution method	:100%H2O		
Inj. Volume	: 25ul		
Time	Module	Action	Value
0.01	Pumps	B.Conc	0.1
30.00	Pumps	B.Conc	30
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	0.1
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	9.788	8911	1573	0.031
2	12.755	162309	17726	0.569
3	13.449	9080	947	0.032
4	13.804	9580	1630	0.034
5	14.565	211386	16051	0.741
6	16.060	464444	10085	1.628
7	17.279	27535759	1471166	96.503
8	17.921	92636	6151	0.325
9	19.042	22442	3292	0.079
10	20.514	17153	2748	0.060
Total		28533699	1531368	100.000

MS Spectrum



Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2025/06/04 14:15:44	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH
Order ID	:MTFA32860-01				
Name	:Antioxidant pep A				
Sequence	:PHCKRM (Acetate Salt)				
Lot.No	:MTFA32860-01-250526				
Theoretical	:770.97				
Observed	:770.90				