

CERTIFICATE OF ANALYSIS

Product Name	BRP/BRINP2-related peptide, Cat.#: 319763 (TFA removed)
Lot No.	MTFA32603-0331
Sequence	THRILRRLFNLC-NH2 (Acetate Salt)
Dissolution condition	100%H2O
Length	12AA
Modification	acetate salt
Molecular Weight (MW)	1540.87
Storage	-20°C

Test Items	Specifications	Results
MW by MS	1541.10	Conforms
Purity by HPLC	>95%	96.287%
TFA content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	100mg	5.0mg*20

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Apr/10/2025


Quality Assurance Department



Sample Information

Order ID	:MTFA32603		
Name	:BRP/BRINP2-related peptide		
Sequence	:THRILRRLFNLC-NH2 (Acetate Salt)		
Lot. No	:MTFA32603-0331		
Pump A	:0.1%Trifluoroacetic in 100% water		
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile		
Total Flow	:1ml/min		
Wavelength	:214nm		
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 μm)		
Dissolution method	:100%H2O		
Inj. Volume	: 25ul		
Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	14.253	11667	799	0.080
2	14.707	12327	1466	0.085
3	15.480	13957016	1232370	96.287
4	15.854	48738	7299	0.336
5	16.453	103605	12207	0.715
6	17.395	357668	42248	2.467
7	18.194	4278	549	0.030
Total		14495299	1296938	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2025/04/09 11:24:59	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% ME OH

Order ID	:MTFA32603
Name	:BRP/BRINP2-related peptide
Sequence	:THRILRRLFNLC-NH ₂ (Acetate Salt)
Lot.No	:MTFA32603-0331
Theoretical	:1540.87
Observed	:1541.10