

**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	Casein kappa [025-034], Casoxin C peptide, Cat.#: 314702
<b>Lot No.</b>	MTFA30085-1-0414
<b>Sequence</b>	YIPIQYVLSR
<b>Dissolution condition</b>	100%H <sub>2</sub> O
<b>Length</b>	10AA
<b>Modification</b>	N/A
<b>Molecular Weight (MW)</b>	1251.48
<b>Storage</b>	-20°C

<b>Test Items</b>	<b>Specifications</b>	<b>Results</b>
<b>MW by MS</b>	1250.86	Conforms
<b>Purity by HPLC</b>	>95%	96.746%
<b>Peptide Content</b>	N/A	N/A
<b>Moisture content</b>	N/A	N/A
<b>Acetic acid content</b>	N/A	N/A
<b>Appearance</b>	White to off-white lyophilized powder	Conforms
<b>Quantity</b>	20mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Apr/27/2023




### Sample Information

Order ID :MTFA30085-1  
 Name :Casein kappa [025-034], Casoxin C peptide, Cat.#: 314702  
 Sequence :YIPIQYVLSR  
 Lot. No :MTFA30085-1-0414  
 Pump A :0.1%Trifluoroacetic in 100% water  
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile  
 Total Flow :1ml/min  
 Wavelength :214nm  
 Analytical column type :Shim-pack GIST C18(4.6\*250mm\*5um)  
 Dissolution method :100%H2O  
 Inj. Volume : 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

### Chromatogram




### Peak Table

#### Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	18.657	3086	385	0.019
2	20.121	18847	2179	0.117
3	21.878	346023	16272	2.157
4	22.475	15519307	1316371	96.746
5	22.829	154066	21946	0.960
Total		16041329	1357153	100.000

## MS Spectrum

 Positive  
Intensity


Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:4/27/2023 9:20:30	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH

Order ID	: MTF30085-1
Name	: Casein kappa [025-034], Casoxin C peptide, Cat.#: 314702
Sequence	: YIPIQYVLSR
Lot.No	: MTF30085-1-0414
Theoretical	: 1251.48
Observed	: 1250.86