
CERTIFICATE OF ANALYSIS

Product Name	Myostatin inhibitory peptide 3d (Cat.#: 318721)
Lot No.	GTA34369-3-0712
Sequence	XRQNTRYSRIEWIKIQIISKLRRL-NH2
Dissolution condition	100%H2O
Length	23AA
Modification	X = 2-naphthoxyacetyl group
Molecular Weight (MW)	2998.57
Storage	-20°C

Test Items	Specifications	Results
MW by MS	2998.65	Conforms
Purity by HPLC	>95%	95.905%
Peptide Content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Jul/16/2022




Sample Information

Order ID :GTA34369-3
 Name :Myostatin inhibitory peptide 3d
 Sequence :XRQNTRYSRIEWIKIQISKLRRL-NH2
 Lot. No :GTA34369-3-0712
 Pump A :0.1% Trifluoroacetic in 100% water
 Pump B :0.1% Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :YMC-Triart C18(4.6*250mm*5um)
 Dissolution method :100% H2O

Time	Module	Action	Value
0.01	Pumps	B.Conc	30
25.00	Pumps	B.Conc	55
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	30
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	11.826	327930	13626	2.900
2	12.058	10843546	1218987	95.905
3	12.321	131278	15087	1.161
4	13.917	3778	443	0.033
Total		11306531	1248143	100.000

MS Spectrum



Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2022/07/15 17:23:57	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH

Order ID	:GTA34369-3
Name	:Myostatin inhibitory peptide 3d
Sequence	:XRQNTRYSRIEWIKIQLRL-NH2
Lot.No	:GTA34369-3-0712
Theoretical	:2998.57
Observed	:2998.65