

CERTIFICATE OF ANALYSIS

Product Name	Octadecaneuropeptide ODN, Cat.#: 316341 (TFA removed)
Lot No.	MTFA31959-1016
Sequence	QATVGDVNTDRPGLLDLK (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	18AA
Modification	Acetate salt
Molecular Weight (MW)	1912.10
Storage	-20°C

Test Items	Specifications	Results
MW by MS	1911.90	Conforms
Purity by HPLC	>95%	95.843%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	10mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Oct/18/2024




Sample Information

Order ID :MTFA31959
 Name :Octadecaneuropeptide ODN
 Sequence :QATVGDVNTDRPGLLDLK (Acetate Salt)
 Lot. No :MTFA31959-1016
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 µm)
 Dissolution method :100%H2O
 Inj. Volume : 30ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
25.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	11.471	198461	10080	3.326
2	11.624	5718074	1145994	95.843
3	11.813	49546	3162	0.830
Total		5966081	1159236	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/10/17 10:19:12	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:MTFA31959
Name	:Octadecaneuropeptide ODN
Sequence	:QATVGDVNTDRPGLLDLK (Acetate Salt)
Lot.No	:MTFA31959-1016
Theoretical	:1912.10
Observed	:1911.90