

CERTIFICATE OF ANALYSIS

Product Name	Pinealon peptide, Cat.#: 319696 (TFA removed)
Lot No.	MTFA33147-01-250803
Sequence	EDR (Acetate Salt)
Dissolution condition	100%H ₂ O
Modification	acetate salt
Molecular Weight (MW)	418.41
Storage	-20°C

Test Items	Specifications	Results
MW by MS	418.20	Conforms
Purity by HPLC	>95%	95.565%
TFA content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Aug/12/2025


Quality Assurance Department



Sample Information

Order ID	:MTFA33147-01		
Name	:Pinealon		
Sequence	:EDR (Acetate Salt)		
Lot. No	:MTFA33147-01-250803		
Pump A	:0.1%Trifluoroacetic in 100% water		
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile		
Total Flow	:1ml/min		
Wavelength	:214nm		
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 µm)		
Dissolution method	:100%H ₂ O		
Inj. Volume	: 10ul		
Time	Module	Action	Value
0.01	Pumps	B.Conc	0.1
20.00	Pumps	B.Conc	0.1
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	0.1
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	3.542	3693	790	0.364
2	4.108	2096	335	0.207
3	4.466	2223	443	0.219
4	7.297	969742	80103	95.565
5	7.696	1874	229	0.185
6	14.750	35123	1369	3.461
Total		1014750	83269	100.000

MS Spectrum



Sample Information

Dissolution method :15%ACN+85%H₂O
 Date Acquired :2025/08/05 15:39:25
 Injection Volume :0.2ul
 Block Temp :200

Interface :ESI
 Nebulizing Gas Flow :1.50L/min
 CDL Temp :250°C
 CDL Volt :0v

Prerod Bias :+4.5kv
 Detector :-.0.2kv
 T.Flow :0.2ml/min
 B.conc :50%H₂O/50%MEOH

Order ID :MTFA33147-01
 Name :Pinealon
 Sequence :EDR (Acetate Salt)
 Lot.No :MTFA33147-01-250803
 Theoretical :418.41
 Observed :418.20