

## CERTIFICATE OF ANALYSIS

Product Name	neuropeptide NAP, Cat.#: 318153 (TFA removed)
Lot No.	MTFA33179-250811
Sequence	NAPVSIPQ (Acetate Salt)
Dissolution condition	100%H <sub>2</sub> O
Modification	acetate salt
Molecular Weight (MW)	824.93
Storage	-20°C

Test Items	Specifications	Results
MW by MS	824.35	Conforms
Purity by HPLC	>95%	99.315%
TFA content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by: 

Aug/14/2025


Quality Assurance Department



### Sample Information

Order ID	:MTFA33179		
Name	:neuropeptide NAP (TFA removed)		
Sequence	:NAPVSIPQ (Acetate Salt)		
Lot. No	:MTFA33179-250811		
Pump A	:0.1%Trifluoroacetic in 100% water		
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile		
Total Flow	:1ml/min		
Wavelength	:214nm		
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 µm)		
Dissolution method	:100%H <sub>2</sub> O		
Inj. Volume	: 25ul		
Time	Module	Action	Value
0.01	Pumps	B.Conc	10
30.00	Pumps	B.Conc	40
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	10
50.00	Controller	Stop	

### Chromatogram




### Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	13.721	27469	3418	0.097
2	14.509	42666	4891	0.151
3	15.006	27996691	1997991	99.315
4	15.565	70965	6898	0.252
5	16.409	52115	6224	0.185
Total		28189906	2019422	100.000

# MS Spectrum



## Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2025/08/13 09:41:34	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H2O/50% MEOH
Order ID	:MTFA33179				
Name	:neuropeptide NAP (TFA removed)				
Sequence	:NAPVSIPQ (Acetate Salt)				
Lot.No	:MTFA33179-250811				
Theoretical	:824.93				
Observed	:824.35				